



# GMS SHARQI

**Self-Propelled Self-Elevating  
DP2 Jack-up Barge  
with 150 ton Crane**

**A1, Self-Elevating Unit + AMS + ACCU + DP2**

Owner & Operator: Gulf Marine Services | Year of Build: 2016

Maintenance & Commissioning

Well Intervention

Heavy Lift & Decommissioning

Wind Turbine Installation & Maintenance



Chartering  
[chartering@gmsplc.com](mailto:chartering@gmsplc.com)

## STANDARD SPECIFICATIONS


**4 LEG DESIGN**  
Faster jacking  
and reduces  
punch-through risks

**MAIN CRANE**  
150t @ 15m

**DYNAMIC  
POSITIONING  
(DP-2)**  
Fast and precise  
positioning at location

**AZIMUTH  
THRUSTERS**

**WATER DEPTH**  
Up to 55m capability



**LARGE  
ACCOMMODATION**  
150 (Standard)  
up to 350 POB

**LARGE DECK AREA**  
800m<sup>2</sup>

**SELF PROPELLED**  
Up to 6 knots  
and no need for  
support tugs

## BESPOKE OPTIONAL CAPABILITIES



**LIGHT WELL  
INTERVENTION  
CANTILEVER**



**TRANSFER TOWER/  
BOATLANDING  
PLATFORM**



**DECK EXTENSION**



**ADDITIONAL  
PERMANENT LIVING  
QUARTERS**

## GMS SCIROCCO SPECIFICATIONS

Main Particulars		Leg Design		Tank Capacities		Fire & Gas Detection System	
LOA / Length BP	77 m / 56 m	Legs	4 x Triangular Truss Design	Fresh Water	749.38 m <sup>3</sup>	Integrated Alarm System (IAS)	HAVYARD IAS
Beam	32 m	Leg Length	75 m	Fuel Oil	383.34 m <sup>3</sup>	Fire Detection System	CONSILIIUM SALWICO
Depth	5.5 m	Max Water Depth	55 m	Ballast Water	654.3 m <sup>3</sup>	Gas Detection System	Integrated into HAVYARD IAS
Draft	5.2 m	Spud Can Area	30 m <sup>2</sup> each	Lube Oil	9.7 m <sup>3</sup>		
Variable Load	1550 t			Sewage	110.92 m <sup>3</sup>		
Deck Area	800 m <sup>2</sup>						

Deck Equipment		Propulsion & Generators		Accomodation	
Main Crane	150 t @ 10 - 15 m	Generator Sets	4 x 1380 kw	Single Cabins	4
Auxiliary Crane	15 t @ 25 m	Emergency Generators	1 x 450 kw	2 Berth Cabins	9
Deck Strength	5 t / m <sup>2</sup>	Azimuth Thrusters	2 FWD + 2 AFT	4 Berth Cabins	32
		Speed	6 Knots	Total POB	150
		Kongsberg Dynamic Positioning	K-POS DP-2	Hospital	1
				Offices	3

Jacking System		Safety Equipment		Helideck	
Jacking Units per Leg	12	Lifeboats	2 x 150 persons	D Value	22.2 m
Jacking Speed	0.8 - 1.2 m / min	Rescue Boat	1 x 6 persons	Aircraft	S61N + S92
Effective Lifting Capacity per Leg	1080 t	Life Rafts	12 x 25 pesrons		
Pre-Load Holding Capacity per Leg	1830 t				

## KEY SPECIFICATIONS OF ENTIRE GMS FLEET

Name of Vessel	Propulsion	Standard POB	Leg Length	Variable Load (VDL) Elevated/Jacking	Deck Area	Main Crane Capacity
Kamikaze	Self Propelled	150	67.9m	750t / 450t	650 m <sup>2</sup>	36t
Kawawa	Self Propelled	150	67.9m	750t / 450t	650 m <sup>2</sup>	45t
Kikuyu	Self Propelled	150	67.9m	750t / 450t	650 m <sup>2</sup>	45t
Kudeta	Self Propelled	150	67.9m	750t / 450t	650 m <sup>2</sup>	45t
Keloa	Self Propelled	150	67.9m	750t / 450t	650 m <sup>2</sup>	45t
Pepper	Self Propelled	150	76.9m	800t / 900t	800 m <sup>2</sup>	75t
Shamal	DP2 Self Propelled	150	75m	1,550t / 900t	800 m <sup>2</sup>	150t
Scirocco	DP2 Self Propelled	150	75m	1,550t / 900t	800 m <sup>2</sup>	150t
Sharqi	DP2 Self Propelled	150	75m	1,550t / 900t	800 m <sup>2</sup>	150t
Endurance	DP2 Self Propelled	210	104m	1,855t / 1,855t	1035 m <sup>2</sup>	300t
Endeavour	DP2 Self Propelled	246	94.2m	1,650t / 1,650t	1035 m <sup>2</sup>	230t
Enterprise	DP2 Self Propelled	194	104m	1,750t / 1,750t	1035 m <sup>2</sup>	400t
Evolution	DP2 Self Propelled	150	94.2m	1,700t / 1,700t	667 m <sup>2</sup>	200t

## COMPARATIVE VESSEL CAPABILITIES

Description of capabilities	GMS Fleet	Jackup Drilling Rigs	Semi-sub/ Construction Vessels	Accommodation Rigs
<b>Construction &amp; Maintenance</b>				
Construction & installation support	✓	×	✓	×
Maintenance support	✓	×	✓	×
Diving support	✓	✓	×	×
Accommodation	✓	×	✓	✓
Remove/decommission topside modules	✓	×	✓	×
<b>Well Servicing &amp; EOR</b>				
Coiled tubing	✓	✓	×	×
Wireline	✓	✓	×	×
Well workover	✓	✓	×	×
Well testing/ early production	✓	✓	×	×
<b>Wind</b>				
Installation	✓	×	✓	×
Maintenance & repair	✓	×	✓	×

## GULF MARINE SERVICES PLC



### Rest of the World

Office 403, International Tower  
24<sup>th</sup> (Karama) Street  
PO Box 46046  
Abu Dhabi, UAE  
T +971 2 502 8888  
F +971 2 555 3421

### Saudi Arabia

2<sup>nd</sup> Floor, Abdullah Fouad Tower  
King Fahd Road, Al Khobar  
Eastern Province  
PO Box 31411, KSA  
T +966 13 8064070  
F +966 13 8102100

### Qatar

11th Floor, Marina Twin  
Towers Street 305, Lusail  
P.O. Box 301477  
Doha, Qatar  
T +971 2 502 8801  
F +971 2 555 3421